

Appl. No. 10/003,219

Reply to Office Action of September 3, 2003

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

**Claim 1 (Previously Presented):** An apparatus comprising:

a magnetic recording head having a gap; and

a magnetic recording medium having a recording layer and a permeable magnetic underlayer proximate to the recording layer, the recording layer having a thickness less than or equal to one-half the width of the gap.

**Claim 2 (Original):** The apparatus of claim 1, where the magnetic recording head creates a recording field, where the magnetic recording medium causes an increase in a perpendicular component of the recording field.

**Claim 3 (Original):** The apparatus of claim 1, wherein the permeable magnetic underlayer has a permeability of greater than 20.

**Claim 4 (Original):** The apparatus of claim 1, wherein the permeable magnetic underlayer has a coercivity in a range of 0.00001 Oe to 100 Oe.

**Claim 5 (Original):** The apparatus of claim 1, wherein the permeable magnetic underlayer and the recording layer have a saturation magnetization, and wherein the saturation magnetization of the permeable magnetic underlayer is less than or equal to that of the recording layer.

**Claim 6 (Previously Presented):** The apparatus of claim 1, further comprising a substrate proximate to the permeable magnetic underlayer.

Appl. No. 10/003,219

Reply to Office Action of September 3, 2003

Claim 7 (Original): The apparatus of claim 6, where the substrate, the permeable magnetic underlayer, and the recording layer have a thickness that is less than or equal to five micrometers.

Claim 8 (Currently amended): A magnetic recording medium comprising:

a recording layer;

a substrate; and

a permeable magnetic underlayer between the recording layer and the substrate,

wherein the permeable magnetic underlayer alters a recording field passing through the recording layer; and

wherein the permeable magnetic underlayer alters the recording field by generating an image recording field.

Claim 9 (Original): The medium of claim 8, wherein the permeable magnetic underlayer alters the recording field by increasing a perpendicular component of the recording field.

Claim 10 (Cancelled)

Claim 11 (Original): The medium of claim 8, wherein the permeable magnetic underlayer has a permeability of greater than 20.

Claim 12 (Original): The medium of claim 8, wherein the permeable magnetic underlayer has a coercivity in a range of 0.00001 Oe to 100 Oe.

Claim 13 (Original): The medium of claim 8, wherein the permeable magnetic underlayer and the recording layer have a saturation magnetization, and wherein the saturation magnetization of the permeable magnetic underlayer is less than or equal to that of the recording layer.

Claim 14 (Original): A magnetic recording medium comprising:

a recording layer;

Appl. No. 10/003,219

Reply to Office Action of September 3, 2003

a permeable magnetic underlayer adjacent the magnetic recording layer; and  
a substrate,

wherein the recording layer and the permeable layer are positioned on the substrate, and  
the thickness of the recording layer is selected as a function of the width of a gap on a recording  
head.

Claim 15 (Original): The medium of claim 14, wherein the thickness of the recording layer is  
selected to be no greater than one half the width of the gap on the recording head.

Claim 16 (Original): The medium of claim 14, wherein the permeable magnetic underlayer has a  
permeability of greater than 20.

Claim 17 (Original): The medium of claim 14, wherein the permeable magnetic underlayer has a  
coercivity in a range of 0.00001 Oe to 100 Oe.

Claim 18 (Original): The medium of claim 14, wherein the permeable magnetic underlayer and  
the recording layer have a saturation magnetization, and wherein the saturation magnetization of  
the permeable magnetic underlayer is less than or equal to that of the recording layer.

Claim 19 (Original): The medium of claim 14, where the substrate, the permeable magnetic  
underlayer, and the recording layer have a thickness that is less than or equal to five micrometers.

Claim 20 (Original): A method comprising:

applying a recording layer to a permeable magnetic underlayer; and  
regulating the thickness of the recording layer as a function of the width of a gap on a  
recording head.

Claim 21 (Original): The method of claim 20, further comprising regulating the thickness of the  
recording layer to be no greater than one half the width of the gap on the recording head.

Appl. No. 10/003,219

Reply to Office Action of September 3, 2003

Claim 22 (Currently amended): A method comprising:

passing a recording field through a recording layer of a magnetic recording medium; and  
regulating the shape of the transition width of the recording field with a permeable  
magnetic underlayer.

Claim 23 (Original): The method of claim 22, further comprising regulating a perpendicular  
component of the recording field with the permeable magnetic underlayer.

Claim 24 (Original): The method of claim 23, further comprising increasing the perpendicular  
component of the recording field and decreasing a horizontal component.